

Quick-Kill[®] Formula

MONEY BACK GUARANTEE†

Spectracide[®]

WEED & GRASS KILLER

WITH EXTENDED CONTROL

CONCENTRATE

Herbicida concentrado para maleza y pasto con control extendido

Visible Results

As Fast As

3 HOURS

Prevents Weeds

For Up To

3 MONTHS



Use On Patios & Walkways & In Flower Beds

Active Ingredients:

Diquat dibromide	2.30%
Fluazifop-p-butyl	1.15%
Dicamba, Dimethylamine salt	0.77%
Oxyfluorfen	1.92%
Other Ingredients	93.86%

†For terms of guarantee, see back panel. 17-15587

KEEP OUT OF REACH OF CHILDREN

WARNING See back booklet for additional precautionary statements.

MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS

AVISO Consulte el folleto en la parte posterior para conocer las declaraciones preventivas adicionales.



MIX WITH WATER

Net 32 fl oz
(1 qt / 946 mL)

Spectracide

WEED & GRASS KILLER WITH EXTENDED CONTROL CONCENTRATE

Herbicida concentrado para maleza y pasto con control extendido

PRODUCT FACTS

**WHERE TO USE:**

Outdoors: On patios, walkways and driveways; around flowers, shrubs and trees; along fences and foundations; and in large areas.

**WHAT IT DOES:**

Kills all types of weeds and grasses down to the root!

**WHEN TO USE:**

For best results, apply during warm, sunny weather (above 60°F).

AMOUNT TO USE:

For best results:
7 fl. oz (14 Tbsp)
per gallon of water



Weed control:
5 fl. oz (10 Tbsp) per
gallon of water



Newly emerged weeds:
3 fl. oz (6 Tbsp) per
gallon of water



Weed Killer Plus Preventer



Treats up to 3,000 sq ft



Makes up to 10 Gallons



Kills the Root



Rainfast in
15 Minutes

17-15706

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

WARNING. Causes skin irritation. Causes moderate eye irritation. Do not get on skin or on clothing. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco.

First Aid

If on Skin or Clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice.

If in Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice.

Have the product container or label with you when calling a Poison Control Center, doctor, or going for treatment.

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

NOTICE: To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.

Questions & Comments? Call 1-800-917-5438 or visit our website at www.spectracide.com

Distributed by Spectrum Group, Division of United Industries Corporation, PO Box 142642

St. Louis, MO 63114-0642 EPA Reg. No. 9688-259-8845 EPA Est. Nos. 9688-MO-1(C), 58996-MO-1(C), 11623-GA-1(C), 11623-GA-3(C). Circled letter is first letter of lot number. 17-15707 © 2014 UIC

PRESS TO RESEAL
PRESIONE PARA VOLVER A VENDER

Primeros Auxilios

Si entra en contacto con la piel o la ropa

- Qítense la ropa contaminada.
- Lave inmediatamente la piel con abundante agua durante 15 a 20 minutos.
- Llame a un centro de control de envenenamientos o a un médico para recibir instrucciones de tratamiento.

Si entra en contacto con los ojos

- Mantenga los ojos abiertos y enjuague con agua lentamente, con cuidado, durante 15 a 20 minutos. Si hay lentes de contacto, retírelos después de los primeros 5 minutos, luego continúe enjuagando los ojos.
- Llame a un centro de control de envenenamientos o a un médico para recibir instrucciones de tratamiento.

Cuando llame a un centro de control de envenenamientos o a un médico, o intente obtener tratamiento, tenga a la mano el envase o la etiqueta del producto.

Nota para el médico: El daño probable a las mucosas puede contraindicar el uso del lavado gástrico.

Riesgos para el medio ambiente

Este pesticida es tóxico para los invertebrados acuáticos. Para proteger el medio ambiente, no permita que el pesticida entre o se escurra por drenajes pluviales, zanjas de drenaje, cunetas ni aguas superficiales. Aplicar este producto cuando no haya viento y no se anticipe lluvia en las siguientes 24 horas ayudará a asegurar que ni el viento ni la lluvia arrastren o quiten el pesticida de la zona de tratamiento. Enjuagar el equipo de aplicación encima de la zona tratada ayudará a evitar el escurrimiento a masas de agua o sistemas de drenaje.

STOP. READ ENTIRE LABEL BEFORE USE. RESEALABLE LABEL • PEEL HERE
ALTO. LEA TODA LA ETIQUETA ANTES DE USAR. ETIQUETA RESELLABLE • ABRA AQUÍ



*Guaranteed Results or Your Money Back

If you are not satisfied with this product for any reason, send your written request for a refund to the address below, together with the original dated store receipt showing the price you paid. Please allow 6-8 weeks for processing.

QUESTIONS & COMMENTS:

Call 1-800-917-5438 or visit our website at www.spectracide.com

NOTICE: To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.

NOTA: Hasta el grado que sea compatible con la legislación pertinente, el comprador asume toda la responsabilidad para seguridad y uso que no estén de acuerdo con las instrucciones.

Distributed by Spectrum Group
Division of United Industries Corporation
PO Box 142642, St. Louis, MO 63114-0642
EPA Reg. No. 9688-259-8845
EPA Est. Nos. 9688-MO-1 (U), 58996-MO-1 (AE),
11623-GA-1 (CK), 11623-GA-3 (CN)
Circled letter is first letter of lot number.
17-15707 © 2014 UIC

PROOF OF PURCHASE

FPO UPC
0 71121 96391 8

KILLS MOST COMMON WEEDS AND GRASSES INCLUDING: /**MATA LA MAYORÍA DE LAS MALEZAS Y PASTOS COMUNES, INCLUYENDO:****Annual weeds and grasses: / Malezas y pastos anuales:**

- annual bluegrass
- annual ryegrass
- barnyardgrass
- beggarweed
- black medic
- blue medic
- blue mustard
- blue toadflax
- brassbuttons
- bromegrass
- bur clover
- buttercup
- cheeseweed
- chickweed
- clover
- common groundsel
- common
- lambsquarters
- common plantain
- common ragweed
- crabgrass
- creeping beggarweed
- diffuse lovegrass
- dog fennel
- evening primrose
- fall panicum
- false dandelion
- fennel
- fiddleneck
- field pennycress
- field sandbur
- filaree
- Florida pusley
- foxtail
- garden spurge
- goosegrass
- green foxtail
- hemp sesbania
- henbit
- horseweed/marestail
- ironweed
- knotweed
- lambsquarters
- little bitter cress
- London rocket
- maiden cane
- mallow
- mayweed
- mouseear chickweed*
- oxalis*
- Pennsylvania smartweed
- pennywort
- pigweed
- prickly lettuce
- prostrate spurge
- puncture vine
- purslane
- redroot pigweed
- sandspur
- shepherdspurge
- smartweed
- smooth cat's ear
- smooth pigweed

- sowthistle
- spotted spurge
- sprangletop
- spurges
- tansy mustard
- tansy ragwort
- teasweed
- Texas panicum
- tumble mustard
- velvetleaf
- wild geranium*
- wild mustard
- witch grass
- yellow nutgrass
- yellow oxalis
- (and many other annual grasses and weeds)
- *annual or perennial

Perennial weeds, grasses, brush: / Malezas, pastos, matorrales perennes:

- alder
- artichoke thistle
- bahiagrass
- barnyardgrass
- bentgrass
- Bermudagrass
- bluegrass
- broadleaf plantain
- brownseed
- paspalum
- buckhorn plantain
- bull thistle
- Canada thistle
- cattail
- ceanothus
- centipedegrass
- cocklebur
- cogongrass
- common mullein
- common ragweed
- coral bead
- creeping Charlie
- curly dock
- dallisgrass
- dandelion
- dewberry
- dog fennel
- false dandelion
- fescue species
- field bindweed
- guineagrass
- hairy crabgrass
- horsetail
- horseradish
- iceplant
- Johnsongrass
- Kentucky bluegrass
- kikuyugrass
- knapweed
- knawel
- lantana
- maiden cane
- milkweed
- mouseear chickweed*
- nimblewill
- nutgrass
- (nutsedge)
- oldenlandia
- orchardgrass
- oxalis*
- pampasgrass
- pennywort
- perennial ryegrass
- plantain
- purple cudweed*
- purple nutsedge
- quackgrass
- quaking aspen
- ragweed
- red clover
- smooth bromegrass
- sourdock
- sowthistle
- St. Augustinegrass

- tall fescue
- tansy ragwort
- Timothy
- torpedograss
- trumpetcreeper
- vaseygrass
- Virginia creeper
- white clover
- whitetop
- wild barley
- wild blackberry
- wild carrot
- wild morningglory
- wild oats
- yarrow
- yellow nutgrass
- yellow starthistle
- zoysia
- *annual or perennial

STOP. Read Entire Label Before Use.**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. *For outdoor residential use only.*



Do not allow people or pets to touch treated plants until the sprays have dried.

APPLICATION RESTRICTIONS

Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application.

USER SAFETY RECOMMENDATIONS

Clothing and protective equipment exposed to this product should be washed in detergent and hot water. Such items should be kept and washed

separately from other laundry.

Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Users should remove clothing and protective equipment immediately after handling this product. As soon as possible, wash thoroughly and change into clean clothing.

MIXING INSTRUCTIONS

Tank Sprayer (plastic, aluminum or stainless steel)

- Add appropriate amount of concentrate to 1 gal of water.
- Spot treat or spray evenly over 300 sq ft.

Dial-Type Hose-End Sprayer

- Set sprayer to the “fl oz/gallon” level specified in the directions.
- Use only enough product for the area to be treated.
- Close sprayer, attach to hose and apply.

Concentrate Plus Water Type Sprayer

- Determine the amount of concentrate required.
- Pour concentrate into sprayer jar to the required “fl oz” level.
- Add the required amount of water to the “gallons” level.
- Replace sprayer top on jar and apply.

AMOUNT TO USE:

To kill newly emerged weeds and prevent regrowth for up to one month: 3 fl oz (6 Tbsp) per gallon of water treats 300 sq ft.

For weed control and to prevent regrowth for up to two months: 5 fl oz (10 Tbsp) per gallon of water treats 300 sq ft.

For best results and to prevent regrowth for up to three months: 7 fl oz (14 Tbsp) per gallon of water treats 300 sq ft.

1 Tbsp = 3 tsp 1 fl oz = 2 Tbsp

REFILL DIRECTIONS

Refilling the Spectracide® Weed & Grass Killer With Extended Control (ready-to-use container):

Carefully measure and mix 7 fl oz (14 Tbsp) in 1 gal of water in the ready-to-use container. See the ready-to-use product label for complete directions.

HOW TO APPLY

- Completely cover the leaves of the target vegetation.
- Sprayed plants begin yellowing and wilting in as little as three hours, with complete kill, including the roots, in one to two weeks.
- Thoroughly cover treated areas to prevent new weeds and grasses from growing.
- Protect desirable plants with a piece of plastic or cardboard.
- If desirable plants are accidentally sprayed, wash plants with water immediately.

WHEN TO APPLY

- For best results, apply during warm, sunny weather (above 60°F) when weeds are actively growing and no rain is forecast for 24 hours. Rainfall or watering 15 minutes after application will not wash away effectiveness.

- To avoid drift to desirable plants, apply when the air is calm.
- Do not mow, cut or otherwise disturb treated vegetation for at least seven days following application.
- Do not make more than two applications per year to any given area.
- Do not use on or around edible feed or food crops.
- Do not use in areas that are to be planted or seeded within three months.
- Do not use around newly planted trees, shrubs or flowers.

WHERE TO USE

WEED CONTROL: Use along fences, paths, patios, sidewalks, curbs and driveways and around established ornamental trees, shrubs, flower beds, plantings and buildings. Use for trimming and edging landscapes.

Do NOT use for spot weed treatment in lawns, since Spectracide® Weed & Grass Killer With Extended Control Concentrate kills all green plants, including lawn grasses.

TIPS FOR REPLANTING

When replanting trees, shrubs or flowers in an area treated with this product within the past three months:

- Dig the planting hole.
- Set aside the soil removed from the hole.
- Place the plant in the hole according to the instructions on the plant.
- Fill the hole with planting soil or other untreated soil.
- Spread the soil removed from the hole in an area where no vegetation is desired.

STORAGE AND DISPOSAL

Pesticide Storage: Store this product in its original container in a secure storage area. **Pesticide Disposal: If empty:** Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

WARNING. Causes skin irritation. Causes moderate eye irritation. Do not get on skin or on clothing. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco.

First Aid

If on Skin or Clothing

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a Poison Control Center or doctor for treatment advice.

If in Eyes

- Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a Poison Control Center or doctor for treatment advice.

Have the product container or label with you when calling a Poison Control Center, doctor, or going for treatment.

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

Environmental Hazards

This pesticide is toxic to aquatic invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid runoff to water bodies or drainage systems.

ALTO. Lea toda la etiqueta antes de usar.

MODO DE EMPLEO

Se considera una violación a la ley federal usar este producto de una manera que no sea la indicada en la etiqueta. *Solo para uso residencial en espacios exteriores.*



ALTO No permita que las personas ni las mascotas toquen las plantas tratadas hasta que los rocíos se hayan secado.

RESTRICCIONES DE APLICACIÓN

No aplique este producto de modo que entre en contacto con personas ni mascotas, ya sea directamente o por arrastre. Mantenga a las personas y las mascotas fuera de la zona durante la aplicación.

RECOMENDACIONES DE SEGURIDAD PARA EL USUARIO

La ropa y el equipo de protección expuestos a este producto se deben lavar con detergente y agua caliente. Dichas prendas se deben guardar y lavar por separado.

Los usuarios se deben lavar las manos antes de comer, beber, masticar chicle, usar tabaco o usar el baño. Los usuarios se deben quitar la ropa inmediatamente si el pesticida pasa a través de la misma. Luego deben

lavarse muy bien y ponerse ropa limpia.

Los usuarios se deben quitar la ropa y el equipo de protección inmediatamente después de manipular este producto. Lávese muy bien y póngase ropa limpia tan pronto como sea posible.

INSTRUCCIONES PARA LA MEZCLA

Rociador con tanque (plástico, aluminio o acero inoxidable)

- Agregue la cantidad adecuada de concentrado a 1 galón de agua.
- Aplique el tratamiento localizado o rocíe uniformemente sobre 300 pies cuadrados.

Rociador con aplicador tipo manguera con selector

- Ajuste el rociador al nivel de “onza líquida/galón” especificado en las instrucciones.
- Use solo la cantidad de producto adecuada para la zona que se va a tratar.
- Cierre el rociador, conecte a la manguera y aplique.

Rociador para concentrado más agua

- Determine la cantidad necesaria de concentrado.
- Vierta el concentrado dentro de la jarra del rociador hasta el nivel necesario de “onza líquida.”
- Agregue la cantidad necesaria de agua hasta el nivel de “galones.”

- Vuelva a colocar la tapa del rociador en la jarra y aplique.

CANTIDAD A USAR:

Para matar malezas recién germinadas y para prevenir el nuevo crecimiento por hasta un mes: 3 onzas líquidas

(6 cdas. soperas) por galón de agua para tratar 300 pies cuadrados.

Para el control de malezas y para prevenir el nuevo crecimiento por hasta dos meses: 5 onzas líquidas (10 cdas. soperas) por galón de agua para tratar 300 pies cuadrados.

Para obtener mejores resultados y prevenir el nuevo crecimiento por hasta tres meses: 7 onzas líquidas (14 cdas. soperas) por galón de agua para tratar 300 pies cuadrados.

1 cda. sopera = 3 cdtas. 1 onza líquida = 2 cdas. soperas

INSTRUCCIONES PARA RELLENAR

Cómo rellenar el Herbicida para maleza y pasto con control extendido de Spectracide® (envase listo para usar): Mida cuidadosamente y mezcle 7 onz. líq. (14 cdas. soperas) en 1 galón de agua en el envase listo para usar. Vea en la etiqueta del producto listo para usar las instrucciones completas.

CÓMO APLICAR

- Cubra completamente las hojas de la vegetación que tiene como objetivo.
- Las plantas que se rociaron empiezan a ponerse amarillas y marchitarse en tan solo tres horas y la eliminación completa, incluyendo las raíces, tiene lugar en una a dos semanas.
- Cubra completamente las zonas tratadas para prevenir el crecimiento de nuevas malezas y pastos.
- Proteja todas las plantas deseables con un trozo de plástico o cartón.
- Si las plantas deseables se rocían accidentalmente, lávelas inmediatamente con agua.

CUÁNDO APLICAR

- Para obtener mejores resultados, aplique cuando el clima esté cálido y soleado (temperaturas superiores a 60°F), cuando las malezas se encuentren en la etapa de desarrollo activo y no se pronostiquen lluvias por 24 horas. La lluvia o el riego después de los 15 minutos de la aplicación no reduce la eficacia.
- Aplique cuando no haya viento para evitar el arrastre hacia plantas deseables.
- No pode, corte, ni altere de ninguna otra manera la vegetación tratada

- durante por lo menos siete días después de la aplicación.
- No haga más de dos aplicaciones por año a cualquier zona.
- No lo use en alimentos para animales ni en cultivos comestibles ni a su alrededor.
- No lo use en zonas que serán plantadas o sembradas dentro de los siguientes tres meses.
- No lo use alrededor de árboles, arbustos o flores recién plantados.

DÓNDE USAR

CONTROL DE MALEZAS: Úselo a lo largo de cercas, senderos, patios, aceras, bordes de aceras y caminos de entrada de automóviles y alrededor de árboles, arbustos, lechos de flores, y edificios establecidos. Úselo para el recorte y bordeado de jardines.

NO lo utilice en céspedes para el tratamiento localizado de malezas, ya que el Herbicida concentrado para maleza y pasto con control extendido de Spectracide® mata a todas las plantas verdes, incluyendo a los céspedes.

CONSEJOS PARA REPLANTAR

Cuando vuelva a plantar árboles, arbustos o flores en una zona tratada con este producto dentro de los últimos tres meses:

- Cave el hoyo para la planta.
- Deje a un lado la tierra excavada del hoyo.
- Coloque la planta en el hoyo según las instrucciones de la planta.
- Llene el hoyo con tierra para sembrar u otro tipo de tierra sin tratar.
- Esparza la tierra retirada del hoyo en una zona donde no quiere vegetación.

ALMACENAMIENTO Y ELIMINACIÓN

Almacenamiento del pesticida: Guarde este producto en su envase original en un lugar de almacenamiento seguro. **Eliminación del pesticida: Si está vacío:** Envase no rellenable. No vuelva a usar ni a rellenar este envase. Térelo en la basura u ofrézcalo para reciclar, si existe esa opción. **Si está parcialmente vacío:** Llame a su servicio de eliminación de desechos más cercano para obtener instrucciones de eliminación. Nunca tire el producto sin usar por ningún drenaje interno ni externo.

DECLARACIONES PREVENTIVAS

Riesgos para los seres humanos y los animales domésticos

AVISO. Causa irritación de la piel. Causa irritación moderada a los ojos. No deje que entre en contacto con la piel ni la ropa. Evite el contacto con los ojos o la ropa. Lávese muy bien con agua y jabón después de manipularlo y antes de comer, beber, masticar chicle o usar tabaco.